

Europe: +49 / 7731 8399 0

USA: +1 / 508 295 0771

Asia: +852 / 2955 1682

| Email: info@meder.com

| Email: salesusa@meder.com

| Email: salesasia@meder.com


Item No.:

2500000080

Item:

MS08-PP

Floating magnet



| Special Product Data | Conditions | Min | Тур | Max | Unit | |
|----------------------|------------|-----|-----|-----|------|--|
| Float weight | | 3 | | 3,5 | g | |
| Material of float | | PP | | | | |

| Mag. values DIN IEC 60404-8- | Conditions | Min | Тур | Max | Unit | |
|------------------------------|---------------------------|---------------|-----|-----|-----------|--|
| Magnetic moment | inclusive of 5% tolerance | 4,6 | 5,2 | 5,8 | E-6 Vs*cm | |
| Direction of Magnetization | | axial | | | | |
| Magnet Material | | Barium Ferrit | | | | |
| Magnet | | capsuled | | | | |

Modifications in the sense of technical progress are reserved

Designed at: 28.02.12 Designed by: WKOVACS Approval at: 28.02.12 Approval by: DKUECHLER

Last Change at: 14.02.13 Last Change by: DKUECHLER Approval at: 14.02.13 Approval by: DKUECHLER

Version:

03